



Hawthorn Hill

MADE IN ENGLAND

Handcrafted in England, Hawthorn Hill has raised the bar with their elegant range of basin stands and heated towel rails in electric, hydronic and radiator models.

DETAILING

They represent the finest in workmanship, with high quality 32mm brass tubing and iconic ball corner joints or cylinder detailing creating beautiful feature pieces for any bathroom.

FINISHES

The entire towel warmer range is available in a selection of quality finishes - chrome, nickel, pewter, gold, oil rubbed bronze as well as uncoated bare brass to complement your bathroom fittings.

HEATING

The towel warmers are available as electrically heated towel rails, using an efficient & replaceable 100w thermostatic heating element.


CONFIGURATION

They are available as freestanding towel rails, mounted to the floor, or as wall or floor mounted towel ladders. For those who require it, the freestanding arched towel warmer may also be employed as a non-heated towel stand.

CUSTOM SIZES

Offered in standard dimensions or custom made to the client's exact specifications.









Behind the scenes...
Good things take time.
Each item is made-to-order
in England by craftsmen.
































The Hawthorn Hill range will impart a wealth of style and functionality.

You decide what you need and we make it happen...

Order from these standard models or take inspiration to create your own!

ELECTRIC



ART DECO ELECTRIC FLOOR MOUNTED TOWEL WARMER 550W X 1543H

CODE: ARTDF550-1543E



ART DECO TOWEL WARMER WITH LEFT OR RIGHT HAND HORIZONTAL ELEMENT 550W X 836H

CODE: ARTDW550-836E



ART DECO TOWEL WARMER WITH LEFT OR RIGHT HAND HORIZONTAL ELEMENT 700W X 836H

CODE: ARTDW700-836E



ART DECO TOWEL WARMER WITH LEFT OR RIGHT HAND HORIZONTAL ELEMENT 700W X 986H

ARTDW700-986E



PREMIER ARCHED TOWEL WARMER WITH ELECTRICAL HEATING ELEMENTS THROUGH THE FLOOR

PA600-850E



PREMIER TOWEL WARMER WITH ELECTRIC HEATING ELEMENT 525W X

CODE: PF525-1238E

ELECTRIC



PREMIER TOWEL WARMER WITH ELECTRIC HEATING ELEMENT 675W X 1238H

CODE: PF675-1238E



ELECTRIC

PREMIER TOWEL WARMER WITH ELECTRIC HEATING ELEMENT 525W X 1275H

CODE: PW525-1275E



PREMIER TOWEL WARMER WITH ELECTRIC HEATING ELEMENT 525W X 1538H

CODE: PF525-1538E



PREMIER TOWEL WARMER WITH ELECTRIC HEATING ELEMENT 675W

CODE: PW675-1275E



PREMIER TOWEL WARMER WITH ELECTRIC HEATING ELEMENT 675W X 1538H

CODE: PF675-1538E



PREMIER TOWEL WARMER WITH ELECTRIC HEATING ELEMENT 525W

CODE: PW525-1575E



PREMIER TOWEL WARMER WITH ELECTRIC HEATING ELEMENT 475W X 750H

CODE: PW475-750E



PREMIER TOWEL WARMER WITH ELECTRIC HEATING ELEMENT 675W X 1575H

CODE: PW675-1575E



PREMIER TOWEL WARMER WITH ELECTRIC HEATING ELEMENT 525W X 675H

CODE: PW525-675E



PREMIER TOWEL WARMER WITH ELECTRIC HEATING ELEMENT 675W X 675H

CODE: PW675-675E

HYDRONIC



ART DECO TOWEL WARMER FOR USE WITH A HYDRONIC HEATING SYSTEM 550W X 1543H

CODE: ARTDF550-1543H



HYDRONIC

PREMIER TOWEL WARMER FOR USE WITH A HYDRONIC HEATING SYSTEM 675W X 1238H

CODE: PF675-1238H



ART DECO TOWEL WARMER FOR USE WITH A HYDRONIC HEATING SYSTEM 550W X 836H

CODE: ARTDW550-836H



PREMIER TOWEL WARMER FOR USE WITH A HYDRONIC HEATING SYSTEM 525W X 1538H

CODE: PF525-1538H



ART DECO TOWEL WARMER FOR USE WITH A HYDRONIC HEATING SYSTEM 700W X 836H

CODE: ARTDW700-836H



PREMIER TOWEL WARMER FOR USE WITH A HYDRONIC HEATING SYSTEM 675W X 1538H

CODE: PF675-1538H



ART DECO TOWEL WARMER FOR USE WITH A HYDRONIC HEATING SYSTEM 700W X 976H

CODE: ARTDW700-986H



PREMIER TOWEL WARMER WITH RADIATOR FOR USE WITH A HYDRONIC HEATING SYSTEM 500W X 938H

CODE: PFRAD500-938H



PREMIER ARCHED TOWEL WARMER FOR USE WITH A HYDRONIC HEATING SYSTEM

CODE: PA600-850H



PREMIER TOWEL WARMER WITH RADIATOR FOR USE WITH HYDRONIC HEATING SYSTEM 500W X 1500H

CODE: PFRAD500-1500H



PREMIER ARCHED TOWEL WARMER WITH RADIATOR FOR USE WITH A HYDRONIC HEATING SYSTEM

CODE: PARAD675-875H

PREMIER TOWEL WARMER FOR USE WITH A HYDRONIC HEATING SYSTEM 525W X 1238H

CODE: PF525-1238H



PREMIER TOWEL WARMER WITH RADIATOR FOR USE WITH A HYDRONIC HEATING SYSTEM 735W X 938H

CODE: PFRAD735-938H

HYDRONIC

PREMIER TOWEL WARMER WITH RADIATOR FOR USE WITH A HYDRONIC HEATING SYSTEM 675W X 938H

CODE: PFRAD675-938H



HYDRONIC

PREMIER TOWEL WARMER FOR USE WITH A HYDRONIC HEATING SYSTEM 525W X 1575H

PW525-1575H



PREMIER TOWEL WARMER FOR USE WITH A HYDRONIC HEATING SYSTEM 475W X 750H

CODE: PW475-750H



PREMIER TOWEL WARMER FOR USE WITH A HYDRONIC HEATING SYSTEM 675W X 1575H

CODE: PW675-1575H



PREMIER TOWEL WARMER FOR USE WITH A HYDRONIC HEATING SYSTEM 525W X 675H

CODE: PW525-675H



PREMIER TOWEL WARMER WITH RADIATOR FOR USE WITH A HYDRONIC HEATING SYSTEM 675W X 740H

CODE: PWRAD675-740H



PREMIER TOWEL WARMER FOR USE WITH A HYDRONIC HEATING SYSTEM 675W X 675H

CODE: PW675-675H



PREMIER TOWEL WARMER FOR USE WITH A HYDRONIC HEATING SYSTEM 525W X 1275H

CODE: PW525-1275H



PREMIER TOWEL WARMER FOR USE WITH A HYDRONIC HEATING SYSTEM 675W X 1275H

CODE: PW675-1275H

BASIN STANDS



DOUBLE BASIN STAND WITH TUBULAR JOINS. STANDARD SIZE 1575W X 560D X 880H

CODE: BSCD-STANDARD

DOUBLE BASIN STAND WITH TUBULAR

JOINS. CUSTOM SIZE.


CODE: BSCD-CUSTOM



BASIN STANDS

CURVED FRONT BASIN STAND WITH BALL JOINS 630W X 460D X 880H FOR P & R 2900 BASIN SET

CODE: BSTC-ED-630



FOUR LEG BASIN STAND WITH TUBULAR JOINS. STANDARD SIZE 785W X 525D X 880H

CODE: BSCF-STANDARD

FOUR LEG BASIN STAND WITH TUBULAR

JOINS. CUSTOM SIZE.

CODE: BSCF-CUSTOM



DOUBLE WALL MOUNTED BASIN STAND WITH BALL JOINS. STANDARD SIZE 1575W X 560D X 880H

CODE: BSTD-STANDARD



CODE: BSTD-CUSTOM



STRAIGHT FRONT BASIN STAND WITH TUBULAR JOINS. 630MM ART DECO 580W X 465D X 780H

CODE: BSCS-ART-630

STRAIGHT FRONT BASIN STAND WITH TUBULAR JOINS. CUSTOM SIZE.

CODE: BSCS-CUSTOM



FOUR LEG BASIN STAND WITH BALL JOINS. STANDARD SIZE 785W X 525D X 880H

CODE: BSTF-STANDARD

FOUR LEG BASIN STAND WITH BALL JOINS. CUSTOM SIZE.

CODE: BSTF-CUSTOM



STRAIGHT FRONT BASIN STAND WITH TUBULAR JOINS. 525MM ART DECO 475W X 245D X 830H

CODE: BSCS-ART-525

STRAIGHT FRONT BASIN STAND WITH TUBULAR JOINS. P & R VICTORIAN 630W X 465D X 880H

X 465D X 880H

CODE: BSCS-VIC-630



STRAIGHT FRONT BASIN STAND WITH BALL JOINS. 525MM ART DECO 475W X 245D X 830H

CODE: BSTS-ART-525



CURVED FRONT BASIN STAND WITH BALL JOINS 415W X 415D X 880H FOR P&R 2925 CORNER BASIN

CODE: BSCO-CORNER



STRAIGHT FRONT BASIN STAND WITH BALL JOINS. 630MM ART DECO 580W X $465D \times 780H$

CODE: BSTS-ART-630



CURVED FRONT BASIN STAND WITH BALL JOINS 415W X 282D X 880H FOR P & R 2910 BASIN SET

CODE: BSTC-ED-410

CURVED FRONT BASIN STAND WITH BALL JOINS 535W X 380D X 880H FOR P & R 2920 BASIN SET

CODE: BSTC-ED-520



STRAIGHT FRONT BASIN STAND WITH BALL JOINS. 630MM VICTORIAN 630W X 465D X 880H

CODE: BSTS-VIC-630

STRAIGHT FRONT BASIN STAND WITH BALL JOINS. CUSTOM SIZE

CODE: BSTS-CUSTOM

FINISHES



Chrome A shiny finish with a hint of blue for a classical or contemporary feel. (Suffix CP).



Polished Nickel A shiny finish with a golden glow. If left, Nickel will develop an aged patina (similar to silverware) and an occasional polish will restore its original gleam. (Suffix NI)



Pewter A brushed or satin Nickel finish to perfectly complement stainless steel sinks and appliances (Suffix PF)



Gold This finish, made with real gold, will give a luxurious look that lasts. (Suffix IG)



brass is becoming increasingly popular as the selected finish for kitchen and bathroom tapware and fittings as designers and home owners desire natural finishes in their homes and value the Japanese aesthetic of wabi sabi the acceptance of transience and imperfection. As a living finish, the initial polished appearance of brass will mature over time to develop the patina and unique character. reminiscent of old brassware. This will not affect the function of the fitting. Bare brass is also recommended as the most durable finish for outdoor kitchens & shower areas - on the patio, by the pool or by the sea. (Suffix BR)

buffed to a satin finish. As a living finish, the surfaces respond to the environment, developing a

rustic honesty without losing any

functionality. The appeal of brass

bathrooms is the very process of aging; paradoxically the resulting patina gives a beautiful and

will continue to enchant for years to

fittings as an organic element

Polished brass Uncoated bare



Satin brass (uncoated bare brushed brass) The brass product is left uncoated, celebrating the warm and tactile raw material which is hand



Oil Rubbed Bronze - A liquorice toned rubbed finish with a hint of copper highlights. (Suffix BZ)

FINER DETAILS

ELECTRIC HEATING

The electrically heated models are fitted with a 100w thermostatic heating element. This heating element is replaceable, thereby extending the life of the towel warmer for many years. They have an IP55 rating which allows them to be installed into bathroom zones 1-4. Consult an electrician for more information on bathroom zones

FI EMENT POSITIONS

Electrically heated towel warmers can be ordered with the element in the best position to suit the project.

Wall mounted towel warmers have the element cable concealed within a tubular metal shroud and can be ordered with the element on the left or right side and orientated vertically or horizontally. Floor mounted towel warmers have three options. Option One has the element cable going down through the floor. Option Two has an exposed cable connecting into a wall plate while Option Three has the cable concealed within a metal shroud.

HYDRONIC HEATING

Hydronic models are heated by connection to a hot water central heating system and can be fitted with the Hawthorn Hill range of modern or traditional valves.

ageless look. Brass has endured for centuries and in its updated forms

All Hawthorn Hill products are individually handmade and can be produced to a wide range of custom sizes to suit the particular requirements of a project.

come. (Suffix SB)

Hawthorn Hill orders cannot be cancelled or altered once confirmed and a deposit may be required to secure your order. Overall height, width and depth may be custom sized. Towel warmers maximum height is 2000mm. Double basin stands maximum width is 2000mm and additional central supports may be added.

ORDERING & DELIVERY

CUSTOM DESIGN

Please check on the availability of towel warmers and basin stands in stock and plan ahead for your project requirements. Stock will vary according to demand and the production and air-freight delivery time from England is approximately 8-12 weeks (bespoke models included).



THE ENGLISH TAPWARE COMPANY

751 HIGH ST, ARMADALE, VIC: 03 9818 1403 • 170 QUEEN ST, WOOLLAHRA, NSW: 02 9362 4736